

KARSA MAKİNA®

Deri Sanayi Ticaret Limited Şirketi

DERİ SAYA PRESİ

"SHOE-UPPER HYDRAULICS PRESS"



www.karsamakina.com

MODEL KM 415



KARSA MAKİNA®
Deri Sanayi Ticaret Limited Şirketi

“Hydraulics Embossing Machines”



Hidrolik Basınç
Hydraulic Pressure

Plaka Basıncı
Plate Surface Pressure

Toplam Basınç
Total Pressure

50 bar	18,8 kg/cm ²	68 TONNE
100 bar	37,7 kg/cm ²	136 TONNE
150 bar	56,1 kg/cm ²	202 TONNE
200 bar	75,0 kg/cm ²	270 TONNE
250 bar	93,8 kg/cm ²	338 TONNE
300 bar	112,5 kg/cm ²	405 TONNE

405 TONLUK DERİ SAYA PRESİ

PİSTON ÇAPI: 415 mm

MAKSİMUM BASKI GÜCÜ: 405 TON

PLAKA: 600 mm x 600 mm

ANA GÖVDE: A1 KLAS ERDEMİR Sertifikalı 50 mm çelik levha saç
SİLİNDİR ve PİSTON KROM kaplama dövme çelik
Üst plaka ve alt plaka elektrik rezistans sistemlidir.

MAKİNA işleme göre beş değişik fonksiyonludur:

1. Beklemesiz 2. Beklemeli 3. Öptüçük

4. Çoklu Baskı 5. Plaka Değiştirme

Makine frenleme sistemlidir.

Termostat, zaman rölesi ve sayıcı rölesi dijitaldir.

ENERJİ TÜKETİMİ:

Ana Motor: 7.5 kw

Rezistans: 6 kw

Enerji tüketimi toplam 13.5 kw'tır.

MAKİNA EBATLARI:

Toplam Genişlik: 2000 mm, En: 2000 mm, Yükseklik: 2200 mm

Ağırlık: 5550 kg

405 TON SHOE-UPPER PRESS

PISTON DIAMETER: 415 mm

MAXIMUM ARE A PRESSURE POWER: 405 TON

PLATE SIZE: 600 mm x 600 mm

MAIN FRAME: 50 mm thick sheet metal, certified EREĞLİ A1
HUB and PISTONS are wrought steel and chrome coating
The upper plate and lower plate are resistance system.

THE MACHINE has 5 different working systems:

1. Regular 2. Stand by lock 3. Touch

4. Multi pressure 5. Plate change

Makine frenleme sistemlidir.

Thermostat, time displayer and ammeter are digital.

ENERGY CONSUMPTION:

Main Engine: 7.5 kw

Resistance: 6 kw


Total: 13.5 kw

THE DIMENSIONS OF MACHINE:

Length: 2000 mm, Width: 2000 mm, Height: 2200 mm

Net Weight: 5550 kg

MODEL KM 300



KARSA MAKİNA®
Deri Sanayi Ticaret Limited Şirketi

“Hydraulics Embossing Machines”



Hidrolik Basınç
Hydraulic Pressure

Plaka Basıncı
Plate Surface Pressure

Toplam Basınç
Total Pressure

50 bar	17,4 kg/cm ²	35,3 TONNE
100 bar	34,8 kg/cm ²	70,6 TONNE
150 bar	52,3 kg/cm ²	106 TONNE
200 bar	69,6 kg/cm ²	141,3 TONNE
250 bar	86,9 kg/cm ²	176,6 TONNE
300 bar	104,7 kg/cm ²	212 TONNE

212 TON TONLUK DERİ SAYA PRESİ

PİSTON ÇAPI: 300 mm

MAKSİMUM BASKI GÜCÜ: 212 TON

PLAKA: 450 mm x 450 mm

ANA GÖVDE: A1 KLAS ERDEMİR Sertifikalı 35 mm çelik levha saç
SİLİNDİR ve PİSTON KROM kaplama dövme çelik
Üst plaka ve alt plaka elektrik rezistans sistemlidir.

MAKİNA işleme göre 4 değişik fonksiyonludur:

1. Beklemesiz
2. Beklemeli
3. Çoklu Baskı
4. Plaka Değiştirme

Termostat, Zaman Rölesi, Sayıcı Röle

ENERJİ TÜKETİMİ:

Ana Motor: 5.5 kw

Rezistans: 6 kw

Enerji tüketimi toplam 11.5 kw'tır.

MAKİNA EBATLARI:

Toplam Genişlik: 2070 mm, En: 1130 mm, Yükseklik: 1650 mm

Ağırlık: 2750

212 TON SHOE-UPPER PRESS

PISTON DIAMETER: 300 mm

MAXIMUM ARE A PRESSURE POWER: 212 TON

PLATE SIZE: 450 mm x 450 mm

MAIN FRAME: 35 mm thick sheet metal, certified EREĞLİ A1
HUB and PISTONS are wrought steel and chrome coating
The upper plate and lower plate are resistance system.

THE MACHINE has 4 different working systems:

1. Regular
2. Stand by lock
3. Multi pressure
4. Plate change

Termostat, time displayer and ammeter are digital.

ENERGY CONSUMPTION:

Main Engine: 5.5 kw

Resistance: 6 kw

Total: 11.5 kw

THE DIMENSIONS OF MACHINE:

Length: 2070 mm, Width: 1130 mm, Height: 1650 mm

Net Weight: 2750

DERİ SAYA PRESİ

"SHOE-UPPER HYDRAULICS PRESS"



KARSA MAKİNA®
Deri Sanayi Ticaret Limited Şirketi

İkitelli Organize Sanayi Bölgesi ESOT Koop L Blok No:13
Başakşehir / İSTANBUL / TURKEY

T. (+90) 212 549 50 55
(+90) 212 549 56 50

F. (+90) 212 549 56 51

www.karsamakina.com • info@karsamakina.com